CONTENTS

Vol. 140, No. 1, May 1983

Microautoradiographic study on the tissue localization of liposome-entrapped or unentrapped ^{3}H-labeled β-galactosidase injected into rats. *H. Onodera, G. Takada, K. Tada and R.J. Desnick* 1

Modulation of fetal mouse liver cells cultured on a pigskin substrate. *K. Hirata, K. Shiramatsu, T. Usui, Y. Yoshida, A.E. Freeman and H. Hayasaka* 15

Plasma prolactin response to thyrotropin releasing hormone in children with newly diagnosed insulin dependent diabetes. *K. Abe, N. Matsuura, N. Fukushima, Y. Nohara, H. Fujita, K. Fujieda and T. Kato* 29

Chemical analyses and antitumor activity of hydrosoluble substances from *Mycobacterium bovis*, strain BCG. *H. Sato, H. Arai, H. Nagai, M. Ito, K. Satoh, N. Kumano, M. Motomiya and K. Konno* 35

Effects of homopantothenic acid on intestinal smooth muscles. *Y. Fukushi and T.S. Suzuki* 45

Effects of nifedipine on the renal vascular responses and blood pressure responses to norepinephrine and angiotensin II in the anesthetized rabbit. *S. Ito, M. Seino, M. Yasujima, K. Abe and K. Yoshinaga* 53

Natural and antibody-dependent cellular cytotoxicity of polymorphonuclear leukocytes. *M. Ohara, M. Shirado, M. Miyata, H. Sakuma, M. Nanamiya, N. Yoshida, H. Yoshida and R. Kasukawa* 59

Saphenous nerve conduction in healthy subjects. *I. Kimura, D.R. Ayyar and J.C. McVeety* 67

Clq and immune complexes in liver cirrhosis sera. *H. Yoshida, M. Sato, S. Watanabe, T. Nishimaki, T. Morito, R. Kasukawa and M. Nakai* 73

Further studies on the effects of flavine adenine dinucleotide on the platelet functions. *K. Shimada, W. Takahashi, A. Watanabe, K. Matsuno and O. Higashi* 81

Enzymatic determination of urinary glycosaminoglycans from orthopedic patients. *S. Satake, N. Ototani, M. Isemura and Z. Yosizawa* 89

Influences of sex and age on serum ascorbic acid. *R. Sasaki, T. Kurokawa, T. Kobayasi and S. Tero-Kubota* 97

Short Reports

Differential effects of 8-bromo-cyclic GMP on the basal contractile force and β-adrenoceptor-mediated positive inotropic action in the canine atrium. *M. Endoh* 105

Acute effects of captopril on serum angiotensin-converting enzyme activity, the renin-aldosterone system and blood pressure in patients with sarcoidosis.

K. Mizuno, M. Gotoh, J. Matsui, S. Nagasawa and S. Fukuchi 107

Vol. 140, No. 2, June 1983

The effect of adrenergic and cholinergic drugs on methacholine- and histamine-induced bronchoconstriction in monkeys. *S. Mue, T. Ohmi, S. Suzuki, G. Tamura, W. Hida, K. Sekizawa, T. Ishihara, K. Yamauchi and T. Takishima* 109

Endocrinological and histological aspects of the process of polycystic ovary formation in the rat treated with testosterone propionate. *H. Ota, M. Fukushima and M. Maki* 121

Epstein-Barr virus-induced precursor B cell lines from patients with congenital agammaglobulinemia. *S. Tsuchiya, T. Sato, S. Nakae, S. Katamine, T. Konno and K. Tada* 133

Motor reaction time as a measure of rapid force generation of a muscle. *N. Irie, H. Nagasaki and R. Nakamura* 145

Effects of Ca antagonists, nifedipine, niludipine and verapamil, on endocrine function of the pancreas. *A. Ohneda, T. Kobayashi and J. Nihei* 153

Ecto-5′-nucleotidase activities in lymphocytes and B lymphoblastoid cell lines from patients with congenital agammaglobulinemia. *S. Nakae, S. Tsuchiya, H. Okumura, T. Konno and K. Tada* 161

Aortography by radial artery injection in infants with anomalies of the aortic arch. *T. Kato, J. Fujiyama, O. Kudeken, K. Oyama and Y. Yoshida* 171

Effect of gefarnate on endogenous prostacyclin, prostaglandin E_2 and thromboxane in water-immersed rats. *K. Kobayashi, T. Arakawa, H. Nakamura, S. Chono, H. Yamada, H. Satoh and T. Ono* 181

Individual difference of seminal plasma detected with crossed immunoelectrophoresis. *M. Iwasa, T. Yokoi and K. Sagisaka* 187

Fluorescein gonioangiography of Newly formed vessels in the anterior chamber angle. *R. Kimura* 193

Properties of the inhibitory junction potentials recorded from smooth muscle cells of the guinea-pig duodenum. *H. Ohkawa* 197

Inhibitory junction potentials of the guinea-pig duodenum in the treatment with catecholamines. *H. Ohkawa* 209

Short Reports

Enflurane induces contracture of in vitro muscle from a patient with malignant hyperthermia. *N. Iwatsuki, Y. Koga and K. Amaha* 221

Effect of verapamil on the lower urinary tract. *O. Nishizawa, I. Moriya, S. Satoh, T. Harada and S. Tsuchida* 223

Vol. 140, No. 3, July 1983

Persistence of impaired PRL responses to sulpiride in patients with PRL secreting pituitary adenomas after successful hypophysectomy. *K. Hanew, A. Sasaki, S. Sato, M. Kasai, K. Murata, Y. Shimizu, O. Murakami and K. Yoshinaga* 225

Delay time correction of the gas analyzer in the calculation of anatomical dead space of the lung. *T. Okubo, H. Shibata and T. Takishima* 235

The regulating effect of cholesterol derivatives isolated from human sera on lymphocyte response to phytohemagglutinin. *H. Saito, F. Kitame, Y. Uemura and N. Ishida* 245

Extrapulmonary lesions in influenza. *A.V. Zinserling, O.A. Aksenov, V.F. Melnikova and V.A. Zinserling* 259

A case of idiopathic fatty liver detectable only by ultrasonography. *Y. Yajima, K. Ohta, T. Narui, R. Abe, H. Suzuki and M. Ohtsuki* 273

Progressive pulmonary vascular disease after surgery in a case of patent ductus arteriosus with pulmonary hypertension. *S. Yamaki, T. Ishidoya, Y. Osuga and S. Arai* 279

A new method to prepare rabbit immune anti-M and -N sera using blood group substance trapped in autologous red cell ghost as an immunogen. *T. Yokoi, M. Iwasa and K. Sagisaka* 289

Singlet oxygen emission at 1270 nm in protoporphyrin solution excited by argon laser. *W. Torinuki and T. Miura* 297

Immunoelectron microscopic examination of IgA deposition in dermatitis herpetiformis. *S. Masu, Y. Tanita, M. Igarashi and M. Seiji* 301

Monodeiodination of thyroxine to 3,3′,5′-triiodothyronine in the human placenta. *M. Suzuki, K. Yoshida, T. Sakurada, H. Kitaoka, K. Kaise, N. Kaise, H. Fukazawa, M. Yamamoto, S. Saito and K. Yoshinaga* 311

Morphological studies on proliferation and desquamation of the alveolar lining epithelium in carrageenan-induced experimental pneumonia. *T. Mitsuhashi, M. Shimazaki, S. Sugino, T. Takeda and H. Inariba* 319

The occurrence of marker cells in fetal hematopoiesis of beige (Chédiak-Higashi) mouse. *M. Yatabe, W. Takahashi and O. Higashi* 331

Short Reports

Bronchial responses to inhaled histamine and methacholine after influenza virus vaccination in monkeys. *T. Ishihara, S. Mue, T. Ohmi, G. Tamura, K. Yamauchi, S. Ida, T. Fuyuki, T. Chonan, C. Shindoh, K. Sato, H. Otsu, Y. Taniguchi and T. Takishima* 335

Activity of the glycine cleavage system in hyperammonemia treated with benzoate. *H. Kodama, K. Fujiwara, Y. Motokawa, H. Tajiri, O. Nose and S. Kamoshita* 337

Vol. 140, No. 4, August 1983

Endoscopic control of gastrointestinal hemorrhage by local injection of absolute ethanol: a basic assessment of the procedure. *S. Asaki, T. Nishimura, A. Satoh and Y. Goto* 339

Helper and suppressor T-cells regulating killer cells of EB virus infected cells. *N. Yoshimura and J. Yata* 353

Increased solubilization of immune complexes by the sera from patients with Behcet's disease. *K. Tanaka, K. Kajiyama, S. Kameda, S. Nishigouri, I. Yamada and Y. Sawae* 363

Poly-adenosine diphosphate ribose autoantibody in systemic lupus erythematosus and other related autoimmune diseases. *K. Murata, S. Takafuji, T. Mizoguchi, K. Nagashima and H. Okazaki* 369

Endothelial alterations of skeletal muscle capillaries in childhood myopathies. *Y. Kobayashi, H. Suzuki, K. Iinuma, K. Tada and T.Y. Yamamoto* 381

Adipose fatty acid composition in a case of generalized deficiency of cytochrome b_5 reductase in congenital methemoglobinemia with mental retardation. *H. Hirono* 391

Quantitative studies on sunburn cell formation in mouse epidermis. *M. Obata* 395

Difference in mode of action of cimetidine and gefarnate on endogenous prostacyclin, prostaglandin E_2 and thromboxane in rat gastric mucosa. *T. Arakawa, H. Nakamura, S. Chono, H. Satoh, H. Hamada, T. Ono and K. Kobayashi* 407

Calculation of right and left ventricular ejection fraction in infants and children by first pass radionuclide angiocardiography using self-synchronization method. *T. Akiba, T. Ishihara, M. Yoshikawa, T. Sato and A. Komatani* 413

Inhibitory effects of histamine antagonists on the skin reaction with house dust allergen, histamine and compound 48/80 in Japanese monkeys. *T. Ohmi, S. Mue, G. Tamura, T. Ishihara, S. Hoshi and T. Takishima* 421

An Epstein-Barr virus-negative B lymphoma cell line (THP-2) from a Burkitt's lymphoma of a Japanese patient. *S. Tsuchiya, Y. Yamaguchi, Y. Kobayashi, M. Minegishi, M. Imaizumi, H. Suzuki, T. Konno and K. Tada* 429

Binding sites of seminal acid phosphatase to *Canavalia gladiata* DC lectin. *M. Iwasa, T. Yokoi and K. Sagisaka* 435

Short Report

Two non-T/non-B leukemia cell lines (THP-3-1 and THP-3-2) established from a patient at different stages of the disease. *S. Tsuchiya, Y. Kobayashi, Y. Yamaguchi, M. Imaizumi, M. Minegishi, T. Konno and K. Tada* 443